CHAPTER: 400

Physical Plant/Facilities

DEPARTMENT ORDER:

407 – Chemical Control

OFFICE OF PRIMARY RESPONSIBILITY:

FM OPS

Effective Date:

August 15, 2024

Amendment:

N/A

Supersedes:

DO 407 (6/10/21)

Scheduled Review Date:

2027

ACCESS

☐ Contains Restricted Section(s)

Arizona Department of Corrections Rehabilitation and Reentry



Department Order Manual

Ryan Thornell, Director

TABLE OF CONTENTS

PURPO	OSE	1	
APPLI	CABILITY	1	
RESPO	DNSIBILITY	1	
PROCI	EDURES	1	
1.0	DIRECTOR'S WAIVER FOR USE OF A NON-STANDARD CHEMICAL	1	
2.0	DELIVERY/STORAGE OF CHEMICALS	3	
3.0	INVENTORY OF CHEMICALS	4	
4.0	SAFE HANDLING/USE OF CHEMICALS	5	
5.0	TRAINING AND TRAINING RECORD REQUIREMENTS	6	
6.0	CHEMICAL OVERSIGHT AND REPORTING RESPONSIBILITIES	8	
7.0	CLEAN UP OF RELEASES/SPILLS OF CHEMICAL/HAZARDOUS MATERIALS	9	
8.0	HAZARDOUS WASTE MANAGEMENT/DISPOSAL	10	
IMPLE	MENTATION	11	
DEFIN	ITIONS/GLOSSARY	11	
ATTACHMENTS		11	
FORM	ORMS LIST		
AUTH	UTHORITY1		

 CHAPTER: 400
 PAGE 1

 407 – CHEMICAL CONTROL
 AUGUST 15, 2024

PURPOSE

This Department Order (DO) establishes processes for oversight and reporting responsibilities for the procurement and management of chemicals, and the management of waste generated. Additionally, it outlines procedures for the safe handling, cleanup, inventory, storage, training, and obtaining a waiver for the use of chemicals not usually authorized.

APPLICABILITY

This DO applies to both Department institutions and private prisons. Private prisons are responsible for implementing a Chemical Control program consistent with this DO and for all related expenses for implementing and complying with this DO.

This DO applies to all chemicals/waste procured or generated as approved by the Director or **Deputy Director**, or authorized through the waiver process.

This DO does not apply to:

- Medical products and pharmaceuticals, medically-generated waste or by-products of medically
 necessary processes (i.e., waste as a result of X-ray, sharps, body parts, biohazard, or outdated
 pharmaceuticals, medical radio-chemical waste or storage). Instructions for these materials are
 addressed in the appropriate Healthcare Services DO and/or Technical Manual.
- A waiver for a Florence quarterly inspection of sodium cyanide has been processed and approved.
 This waiver shall be in effect for an indefinite length of time.

RESPONSIBILITY

The Assistant Directors, **Deputy Assistant Director for Prison Operations**, Wardens, Deputy Wardens, and Administrators are responsible for ensuring staff and contractors comply with this DO for the purchase, inventory, storage, handling, cleanup, and/or disposal of chemicals/waste, in accordance with applicable state and federal laws, rules and regulations.

PROCEDURES

1.0 DIRECTOR'S WAIVER FOR USE OF A NON-STANDARD CHEMICAL

- 1.1 The Director or **Deputy Director** may authorize chemicals in specific or emergent circumstances, allowing restricted use of non-standard chemicals. For any chemical to be considered for a waiver by the Director or **Deputy Director**:
 - 1.1.1 No alternative non-hazardous chemical performs with similar results to that of the chemical for which a waiver from the Director or **Deputy Director** is being requested.
 - 1.1.2 Staff ensure that the chemical utilization is compliant with the manufacturers' approved use and application, in accordance with the Safety Data Sheet (SDS) and manufacturer's protocols for the safe handling, inventory and use of Personal Protective Equipment (PPE). If the above requirements cannot be met, the waiver shall be denied and non-hazardous substitute chemicals shall be required.

CHAPTER: 400 PAGE 3 407 – CHEMICAL CONTROL AUGUST 15, 2024

1.2 The Warden or Administrator requesting a waiver shall submit written justification to the Director or **Deputy Director** for approval.

- 1.2.1 The Director or **Deputy Director's** approval shall be obtained prior to proceeding with the purchase or use of any chemical listed on the United States (U.S.) Environmental Protection Agency (EPA) Federal Consolidated List of Chemicals, or the Comprehensive Environmental Response, Compensation and Liability Act Title III List of Lists. The Occupational Safety Consultant (OSC) may assist with additional resources.
- 1.3 The waiver request shall, at a minimum, identify the following:
 - 1.3.1 The specific chemical name and properties.
 - 1.3.2 The hazard class and classification of the U.S. Department of Transportation (DOT) it is shipped under.
 - 1.3.3 The chemical's short and long-term medical effects on exposed users.
 - 1.3.4 The justification used in the identification of an alternate, non-hazardous substitute.
 - 1.3.5 A copy of the chemical's SDS provided by the manufacturer/supplier.
 - 1.3.6 How the chemical will be controlled after purchase.
 - 1.3.7 Provide the specific failures encountered when looking for an alternative non-hazardous chemical as an effective substitute.
 - 1.3.8 Include the rationale for requesting a waiver to use hazardous materials and specifically why the chemical is necessary.
 - 1.3.9 Establish the storage requirement guidelines for the chemical.
 - 1.3.10 Identify and outline the benefits gained from the proposed use of the chemical and detail what hazard controls or PPE is required to avoid hazards for users or other individuals.
 - 1.3.11 Establish and outline the procedures for safe handling, storage, and use of the chemical.
 - 1.3.12 Determine what would be the impact of not having this chemical for the stated use.
- 1.4 The OSC shall be consulted by the appropriate Warden/Deputy Warden, Administrator and/or Business Manager to try to eliminate a need for the Director or **Deputy Director** to approve a waiver by identifying the hazards and recommending the purchase of non-hazardous substitute chemicals.

2.0 DELIVERY/STORAGE OF CHEMICALS

- 2.1 The Warden or Administrator shall ensure a Hazardous Materials Management Plan (HMMP) is updated and provided annually to the local Fire Department/Authority Having Jurisdiction (AHJ).
- 2.2 The Physical Plant Manager/Administrator, Warehouse Supervisor, Equipment Shop Supervisor and the Water/Wastewater Plant Operator shall:

- 2.2.1 Understand and identify the U.S. DOT Hazardous Materials class for all chemicals ordered or considered (See Attachment A.). Once the hazardous class is identified, check the appropriate box on the Chemical Product Inventory Form, 407-3.
- 2.2.2 Review the appropriate SDS prior to the chemical's purchase and prior to the chemical entering the facility.
- 2.2.3 Ensure, with the assistance of the OSC, that code standard-appropriate locations and storage units are available for the U.S. DOT hazard class of the chemical prior to receiving the chemical. Attachment B, U.S. DOT Segregation Table of Hazardous Materials indicates what the compatibility of U.S. DOT hazard categories are for storage.
- 2.2.4 Be responsible for properly receiving chemicals.
- 2.2.5 Ensure every chemical is safely offloaded from the delivery vehicle and is properly labeled to include a current SDS that can be readily available for all users.
- 2.2.6 Record whether the SDS is present on the Chemical Product Inventory, Form 407-3. A copy of the SDS shall be provided to the OSC, through the Unit Fire/Safety Coordinator.
- 2.2.7 Ensure the chemicals' National Fire Protection Agency (NFPA) 704 and Hazardous Material Information System (HMIS) number is available in the SDS or obtain this information from the vendor or other pertinent documentation for safe use. Record this information on the Chemical Product Inventory, Form 407-3.
- 2.2.8 Ensure every chemical is properly inventoried using the Chemical Product Inventory, Form 407-3 that an updated SDS is sent with the chemical to where it will be stored and used.
- 2.2.9 Ensure every chemical is separated and stored in accordance with NFPA guidelines.
- 2.3 The OSC shall inspect the storage locations and storage units to ensure that they are adequate per code/standard when first placed in service and during their annual building inspection. The OSC shall document each inspection in a report.
- 2.4 Chemicals shall be stored as follows:
 - 2.4.1 Chemicals shall be stored and separated according to hazard category and compatibility.
 - 2.4.2 SDS and label information shall be followed for storage requirements.
 - 2.4.2.1 Maintain existing labels on incoming containers of chemicals and other materials.
 - 2.4.2.2 Labels must include the chemical identification and proper hazard warnings.
 - 2.4.2.3 All containers, including transfer containers, should be properly identified.

CHAPTER: 400 PAGE 4 407 – CHEMICAL CONTROL AUGUST 15, 2024

2.4.3 Open shelves used for chemical storage shall be secured to the wall. Shelves must have ¾ inch lips. Secondary containment devices shall be used as necessary when liquid containers exceed 5 gallons or solids containers exceed 100 pounds.

- 2.4.4 Oxidizers, reducing agents, and fuels shall be stored separately to prevent contact.
- 2.4.5 Flammable chemicals shall be stored in a spark-free environment and in approved flammable liquid containers and storage cabinets. Grounding and bonding shall be used to prevent static charge buildups when dispensing them.
- 2.4.6 Chemical storage areas shall be controlled access areas. They shall have proper ventilation, appropriate signage, drainage, diked floors, and fire suppression systems in compliance with standards, codes, rules and regulations.
- 2.5 At a minimum, a monthly visual inspection shall be conducted to ensure that leaks and/or container deterioration have not occurred. The inspection shall be documented using the Monthly Inventory of Chemicals and Hazardous Materials, Form 407-4, by an "owner" supervisor and a copy shall be provided to the OSC through the Unit Fire/Safety Coordinator.
- 2.6 The OSC, Warehouse Supervisors, Physical Plant Supervisor, Fleet Services Manager, and/or the Unit Fire/Safety Coordinator shall ensure "owner" supervisors and trained staff:
 - 2.6.1 Control chemicals/waste by limiting access to containers, and ensuring vigilant staff supervision over inmates using products by securing them in locked containers, vessels or cabinets when the products are stored or not in use; and maintaining good housekeeping.
 - 2.6.2 Ensure that once a chemical is dispensed for use, the product is considered consumable, and is no longer inventoried. All dispensed chemicals shall be controlled in a secured area accessible to authorized personnel only.
 - 2.6.3 Update the Chemical Product Inventory, Form 407-3, and the Monthly Inventory of Chemicals and Hazardous Materials, Form 407-4, as outlined in section 3.0, in SDS binders when items are received or depleted.
 - 2.6.4 In coordination with the OSC or Physical Plant Supervisor, verify storage locations of chemicals/waste are compatible with other chemicals and waste stored.

3.0 INVENTORY OF CHEMICALS

- 3.1 Prudent management of chemicals requires accurate inventory of the stored chemicals. Whenever chemical/hazardous materials/substances are delivered, the receiving staff accepting the hazardous material and/or the "owner" supervisor shall:
 - 3.1.1 Inspect the container for legible labels, a current SDS, and for any container damage or leakage.
 - 3.1.2 Date chemical containers upon receipt and rotate stock.
 - 3.1.3 Complete all header information and initial the Chemical Product Inventory, Form 407-3, to verify that the SDS was provided and reviewed.

CHAPTER: 400 PAGE 5 407 - CHEMICAL CONTROL AUGUST 15, 2024

3.1.4 Complete and initial the Monthly Inventory of Chemicals and Hazardous Materials, Form 407-4, to adjust the monthly inventory of on-hand amount or containers.

- 3.2 The "owner" supervisor or responsible staff shall:
 - 3.2.1 Complete the following fields on the Chemical Product Inventory, Form 407-3:
 - 3.2.1.1 Product name
 - 3.2.1.2 Date received
 - 3.2.1.3 HMIS information
 - 3.2.1.4 NFPA 704 "Fire Diamond" information
 - 3.2.1.5 Number of containers received or depleted
 - 3.2.1.6 Printed name of the person who received the chemicals
 - 3.2.2 Ensure a **SDS** binder with uniquely labeled page divider tabs for each SDS **is** readily accessible to all workers on all shifts.
 - 3.2.3 Ensure the Chemical Product Inventory, Form **407-3**, is placed in the appropriate SDS binder (e.g., before the corresponding SDS).
 - 3.2.4 Ensure the Monthly Inventory of Chemicals and Hazardous Materials, Form 407-4, is placed in the front of the SDS binder as a master list (Table of Contents). The uniquely labeled page divider tab for each Chemical Product Inventory form shall precede each chemical name for quick reference.
 - 3.2.5 Ensure the Chemical Product Inventory, Form 407-3, is immediately updated whenever chemical containers are received and/or depleted.

4.0 SAFE HANDLING/USE OF CHEMICALS

- 4.1 Prior to handling/using a chemical, staff and users must receive proper training as outlined in section 5.0. At a minimum, all users shall acknowledge reading an applicable SDS and warnings from the container's label.
- 4.2 "Owner" supervisors, designated staff, or any other users shall immediately report leakage or deterioration of containers, the misuse of any chemicals or any chemical containers with missing or unreadable labels to the Unit Fire/Safety Coordinator or the OSC.
- 4.3 A container that is deemed unsuitable shall be safely isolated in a chemically compatible salvage container and placed in clearly visible location with a "do not use" label.
- 4.4 The Chemical Product Inventory, Form 407-3, and the Monthly Inventory of Chemicals and Hazardous Materials, Form 407-4, shall be updated each time a chemical or hazardous material is received and depleted.
- 4.5 "Owner" supervisors shall ensure proper PPE is readily available.
- 4.6 All Unit Fire/Safety Coordinators shall administratively report to the OSC all chemical training and duties relating to:

PAGE 6 AUGUST 15, 2024

- 4.6.1 Any change in storage location of any chemicals.
- 4.6.2 Any identifiable chemical training needs.
- 4.6.3 Any observed or reported spill/release/leak of, or exposure to any chemicals.
- 4.6.4 Any investigative inspection of exposures, spills, releases or leaks.
- 4.6.5 The completion of any related necessary Significant Incident Reports, Form 105-3 or Information Reports, Form 105-2.
- 4.6.6 Obtaining copies of any and all data/documents relating to chemicals and providing them to the OSC for retention in the institution's master file.
- 4.7 Chemical handling shall be performed as follows:
 - 4.7.1 The OSC shall conduct a hazard analysis/risk assessment prior to purchase of any chemical.
 - 4.7.2 A job hazard analysis shall be conducted prior to beginning work with any hazardous chemical for the first time.
 - 4.7.3 All SDSs and label information shall be read before using a chemical in a new project.
 - 4.7.4 Trained workers (i.e., staff, inmate workers and contractors) shall ensure proper engineering controls (ventilation), administrative controls (procedures), and proper PPE is readily available and used.
 - 4.7.5 Never mix chemicals together.

5.0 TRAINING AND TRAINING RECORD REQUIREMENTS

- 5.1 The Assistant Directors, **Deputy Assistant Director for Prison Operations**, Wardens, Deputy Wardens and Administrators, in coordination with the **Chief Learning Officer** shall ensure that staff, contractors and inmate workers using and/or supervising the use of chemicals/waste receive initial training prior to working with chemicals. Annual refresher trainings on the use of chemicals will be identified on an as needed basis.
- 5.2 Training shall be provided so staff, contractors and inmate workers are made aware of hazards posed by the use and misuse of chemicals. Training shall be provided, in order of preference, by:
 - 5.2.1 The product manufacturer's representative and/or vendor.
 - 5.2.2 An OSC (if qualified and/or certified to provide training).
 - 5.2.3 An "owner" supervisor (if qualified and/or certified to provide training).
 - 5.2.4 Reading the SDS and the container label of the chemical/hazardous material substance.
- 5.3 If additional training is needed, the OSC can request additional training from a qualified representative from the Arizona Department of Environmental Quality (ADEQ), Arizona Department of Public Safety (DPS), or Arizona Division of Occupational Safety and Health (ADOSH).

CHAPTER: 400 PAGE 7 407 – CHEMICAL CONTROL AUGUST 15, 2024

5.4 Training shall be documented as part of the training record of the user and a file shall be maintained by the "owner" supervisor in accordance with the approved retention schedules.

- 5.4.1 Training records for inmates with the use of chemicals shall be forwarded to the Work Incentive Pay Plan (WIPP) Officer who shall record/maintain the following information respectively in the Arizona Correctional Information System (ACIS):
 - 5.4.1.1 Name of trained inmate with identifying Arizona Department of Corrections, Rehabilitation and Reentry (ADCRR) Inmate number.
 - 5.4.1.2 Title of training course (e.g., Chemical, Hazardous Material, Hazardous Substance).
 - 5.4.1.3 Instructor's name or reference to SDS/label only training.
 - 5.4.1.4 Date of the training and signature by inmate to acknowledge the training.
- 5.4.2 Training records of employees and contractors trained in the use of chemicals shall be forwarded to the Complex's Training Officer who shall record/maintain the following information in the Human Resources Information System (HRIS):
 - 5.4.2.1 Name of trained user, with identifying Employee Identification Number (EIN) or company name.
 - 5.4.2.2 Title of training course (e.g., Chemical, Hazardous Material, Hazardous Substance).
 - 5.4.2.3 Instructor's name or reference to SDS/label only training.
 - 5.4.2.4 Date of the training and signature by staff or contractor to acknowledge the training.
- 5.4.3 Wardens or their designees shall ensure the following are in place prior to chemical/hazardous materials use:
 - 5.4.3.1 Contractors fully understand the types of hazards that may arise from the work being done on-site.
 - 5.4.3.2 The procedures or measures needed to avoid or control exposure to hazardous chemicals.
 - 5.4.3.3 How to contact the contractors, staff, or staffing firm if there is an emergency or safety concern.
 - 5.4.3.4 What to do if there is an emergency.
- 5.4.4 Contractors who perform work on institution property shall:
 - 5.4.4.1 Ensure all completed training documentation is forwarded to the Complex's Training Officer.
 - 5.4.4.2 Educate and be educated on potential workplace hazards.
 - 5.4.4.3 Be aware of the types of hazards that may be present, before they arrive on-site.

CHAPTER: 400 PAGE 8 407 – CHEMICAL CONTROL AUGUST 15, 2024

5.4.4.4 Wear protective gear that will be necessary in order to control their exposure to those hazards.

5.4.4.5 Know how to report an emergency, injury, illness, or safety concern to the host employer so that issues can be promptly addressed.

6.0 CHEMICAL OVERSIGHT AND REPORTING RESPONSIBILITIES

- 6.1 The OSC shall:
 - 6.1.1 Ensure the "owner" supervisor has completed the Chemical Product Inventory forms with current legible SDS and any chemical specific information placed behind the correctly labeled SDS binder divider tab.
 - 6.1.2 Maintain electronic and hard copy file of the SDS, and verify at least every 90 calendar days to ensure the information is current and correct.
 - 6.1.3 Ensure the SDSs are readily accessible to all employees using chemicals or working in the area, during each work shift.
 - 6.1.4 On the first Friday in February of each year, submit the following reports to the Fire, Life and Safety Administrator:
 - 6.1.4.1 Tier II Report Information
 - 6.1.4.2 Form R Reports, where required
 - 6.1.4.3 Site Chemical Inventories
 - 6.1.4.4 Current electronic/scanned copies of all SDSs
- 6.2 The Fire, Life and Safety Administrator:
 - 6.2.1 Submit a compilation of institutional Tier II Reports to the Arizona State Emergency Response Commission (ASERC), the Local Emergency Planning Committee (LEPC) and locally responding Fire Departments. The report is due no later than the 1st day of March (annually).
 - 6.2.2 File, where required, Form R Reports with the ADEQ/EPA.
 - 6.2.3 Annually, review the master SDS files from the institutions and compile the Department's list.
 - 6.2.4 Maintain a listing of subject matter experts providing training to hazardous material users.
 - 6.2.5 Provide available training/workshops/seminars on chemicals/hazardous materials to the OSC.
 - 6.2.6 Provide consultation with the Executive Staff, Wardens, Administrators, and other safety professionals, as directed by the Assistant Director for Prison Operations.
 - 6.2.7 Consult with the institution and Central Office staff at the various buildings on their storage and use of chemicals/hazardous materials and the HMMP. These functions are also associated with the duties of an OSC.

CHAPTER: 400 PAGE 9 407 - CHEMICAL CONTROL AUGUST 15, 2024

7.0 CLEAN UP OF RELEASES/SPILLS OF CHEMICAL/HAZARDOUS MATERIALS

- 7.1 In the event of a chemical/hazardous material spill/leak, staff shall:
 - 7.1.1 Immediately activate the Incident Command System (ICS), notify **their** supervisor, and assign a Safety Officer to assist.
 - 7.1.2 Contact the Main Control to call 911 if appropriate, and notify the OSC.
 - 7.1.3 Create a written Incident Accident Plan (IAP) as required for all hazardous materials incidents, as outlined in OSHA 3114 Hazardous Waste Operations and Emergency Response.
 - 7.1.4 Refer to the Institutions' Emergency Response and Operations Plan Hazardous Materials Annex.
 - 7.1.4.1 The OSC or designated Safety Officer, in consultation with an approval from the Incident Commander shall:
 - 7.1.4.1.1.1 Isolate the area, ensure people are removed/sheltered from harm's way, and deny entry of unauthorized persons. The U.S. Department of Transportation's North American Emergency Response Guidebook should be consulted for chemical or hazardous materials identification, associated life and safety hazards, protective clothing requirements, evacuation or perimeter distancing, and first aid procedures.
 - 7.1.4.1.1.2 As soon as possible, report the precise location and the approximate quantity of the spill/leak and other pertinent information to the Central Office Communications Center for issuance of a Significant Incident Report, and the Fire, Life Safety and Loss Prevention Office detailing/ identifying a common operating picture and scope of operational activity in progress.
 - 7.1.4.1.1.3 Evaluate the situation to determine the nature and extent of a release to identify life safety hazards, property threatened/damaged and/or environmental impacts/concerns.
 - 7.1.4.1.1.4 If the situation can be controlled, contained, and properly disposed of with Department resources, use of the ICS should continue providing for the safety of all persons throughout the duration of the incident.
 - 7.1.4.1.1.5 If a chemical/hazardous material emergency is confirmed to be beyond the scope of the Department's capacity, notify (with pertinent detailed facts about the chemical/incident) the agencies outlined in Attachment C.

CHAPTER: 400 PAGE 10 407 – CHEMICAL CONTROL AUGUST 15, 2024

7.1.4.1.1.6 Eliminate all access to the site of the hazard while awaiting response from the Hazardous Materials Team (HMT). After HMT arrival, the institution Incident Commander, in consultation with the HMT Commander, shall coordinate all incident activities. The Incident Commander may consider organizing under Unified Command.

- 7.1.4.1.1.7 Coordinate gathering all Incident Reports, video/photos and pertinent documents/ records related to the incident, and include any social media links, if known.
- 7.1.4.1.1.8 Collaborate with the Fire, Life Safety and Loss Prevention Office for any mandated report/response to the regulatory authorities. This information shall be retained pending the completion of all investigations.
- 7.1.4.1.1.9 Ensure the incident is properly documented in WebEOC.
- 7.2 Cleanup of chemicals/waste released shall be performed by a **contracted** vendor. Vendors for "Emergency and Routine Response" are available on the **State's** eProcure**ment** website (app.az.gov).
- 7.3 For reporting purposes, the Warden/Deputy Warden, in consultation with the Fire, Life Safety and Loss Prevention Office, shall designate an alternate point of contact during any absence of an OSC.

8.0 HAZARDOUS WASTE MANAGEMENT/DISPOSAL

- 8.1 The Department shall take an active approach in avoiding the generation of hazardous waste in its processes, projects and activities as defined in the Federal Resource Conservation and Recovery Act (40 C.F.R. §261). Hazardous waste generated shall be managed in accordance with ADEQ and Arizona Revised Statute (A.R.S.) Title 49, Chapter 5, which has primacy in Arizona for Resource Conservation and Recovery Act (40 C.F.R. §§ 260-262). Transport and disposal of hazardous waste shall be performed by a contracted vendor for "Emergency Response and Non-Emergency Environmental Services" available on the State's eProcurement website (app.az.gov). Used oil waste shall be managed as solid waste in accordance with ADEQ (40 C.F.R. §279). The Department shall be vigilant in avoiding illegal dumping of any waste at any location at their facilities. Illegal dumping may be prosecuted as a felony or misdemeanor. If waste must be generated, collection and storage of waste shall reflect the following: (A.R.S. §§ 9-499, 11-268, and 13-1603)
 - 8.1.1 Chemical waste shall be accumulated at or near the point of generation.
 - 8.1.2 Collection containers/receptacles shall be controlled for security and shall be emptied and cleaned daily.

- 8.1.2.1 Containers for combustible refuse (excluding smoking materials) generated by inmates shall be placed in accessible locations throughout the living quarters.
- 8.1.3 Each waste type shall be stored in a compatible container pending transfer or disposal.
- 8.1.4 Incompatible waste types shall be segregated to avoid chemical reactions.
- 8.1.5 Waste containers shall be segregated by how they will be managed. Storage locations shall be secured and not interfere with normal operations.
 - 8.1.5.1 Special containers for flammable liquids and for rags used with flammable liquids shall be placed in appropriate locations.
- 8.1.6 Ventilated storage and secondary containment may be appropriate for certain waste types.
- 8.1.7 Waste containers shall be clearly labeled and kept sealed when not in use. Labels shall include the accumulation start date and appropriate hazard warnings.
- 8.1.8 Safety systems, such as ventilation systems and fire suppression systems may be required depending on the hazard. Consult the OSC for further guidance.

IMPLEMENTATION

The Chief Learning Officer shall evaluate the current chemical training curriculum and recommend any modifications.

The Warden or their designee shall update and/or implement the appropriate Unit Post Orders which address the mandatory requirements of this DO, including the accountability procedures for chemical materials (i.e., dissemination from warehouse to unit).

DEFINITIONS/GLOSSARY

Refer to the Glossary of Terms for the following:

- Chemical
- Department of Transportation (DOT) Hazard Class (Chart 16)
- Extremely Hazardous Substance
- Fire Suppression System
- Hazardous Materials
- Hazardous Materials Identification System (HMIS)
- Hazardous Materials Team (HMT)
- Hazardous Substances
- Medical Products and Pharmaceuticals
- National Fire Protection Association (NFPA) 704 "Fire Diamond"
- "Owner" Supervisor
- Safety Data Sheet (SDS)

ATTACHMENTS

CHAPTER: 400 PAGE 12 407 – CHEMICAL CONTROL AUGUST 15, 2024

Attachment B, Segregation Table for Hazardous Materials

Attachment C, Emergency Telephone Numbers

FORMS LIST

105-2, Information Report

105-3, Significant Incident Report

407-3, Chemical Product Inventory

407-4, Monthly Inventory of Chemicals and Hazardous Materials

AUTHORITY

A.R.S. Title 49, Chapter 5, Hazardous Waste Disposal

A.R.S. §9-499, Removal of Rubbish, Trash, Weeds, Filth, Debris and Dilapidated Buildings; Removal by City;

Costs Assessed; Collection; Priority of Assessment; Responsibility of Payment; Definitions

A.R.S. §11-268, Removal of Rubbish, Trash, Weeds, Filth, Debris and Dilapidated Buildings; Removal by

County; Costs Assessed; Collection; Priority of Lien; Definitions

A.R.S. §13-1603, Criminal Littering or Polluting; Classification

A.R.S. §49-123, Hazardous Materials Emergency Management Program; Arizona Emergency Response

Commission; Emergency Planning and Community Right-to-Know

OSHA 3114 Hazardous Waste Operations and Emergency Response

NFPA 1561 Standard on Emergency Services Incident Management System and Command Safety

U.S. Department of Transportation Emergency Response Guidebook phmsa.dot.gov

ATTACHMENT A

U.S. DOT HAZARDOUS MATERIALS CLASS

Class	Hazardous Material
CLASS 1	Explosives: Divisions 1.1, 1.2, 1.3, 1.4, 1.5, 1.6
CLASS 2	Gases: Divisions 2.1, 2.2, 2.3
CLASS 3	Flammable Liquid
CLASS 4	Flammable Solid, Spontaneously Combustible, and Dangerous When Wet: Divisions 4.1, 4.2, 4.3
CLASS 5	Oxidizer, Organic Peroxide: Divisions 5.1 and 5.2
CLASS 6	Poison (Toxic), Poison Inhalation Hazard, Infectious Substance: Divisions 6.1 and 6.2
CLASS 7	Radioactive
CLASS 8	Corrosive
CLASS 9	Miscellaneous Hazardous Material

For more information, please visit phmsa.dot.gov/ and search for "DOT-Chart."

ATTACHMENT B

Segregation Table for Hazardous Materials - 49 CFR §177.848



ATTACHMENT C

EMERGENCY TELEPHONE NUMBERS			
Dial 9-1-1, per facility protocol	9-1-1		
The local Fire Department/Authority Having Jurisdiction (AHJ)	Contact your local fire department Non-emergency number		
Arizona DPS Operator	602-223-2212 Available 24 hours a day, year round		
ADEQ Hazardous Response Duty Officer	602-390-7894		
AZ DEMA Duty Officer	602-469-3401		
AZ DEMA Main Number	602-267-2700		
The National Guard: For apparent intentional hazardous material releases of a terrorism nexus the AZ DEMA 91 st Civil Support Team may be requested to assist with detection/identification, sampling/documentation and crime scene preservation. 91 st Civil Support Team response requests shall be coordinated through the Department's Emergency Preparedness Administrator by contacting the Central Office Communication Center.	602-267-2995 The 91 st Civil Support Team Operations Section Chief		